

Cargo	Resin Solutions
Nature of Substance	Flash point above 23°C
	Colourless liquid or paste - usually with perceptible odour
	Immiscible with water - lighter than water
Nature of Hazard	Flammable
	May evaporate quickly
	The vapour may be invisible. The vapour is heavier than air and spreads along ground
	May form explosive mixture with air, particularly in empty uncleaned receptacles
	Heating will cause pressure rise with risk of bursting and subsequent explosion
	Irritant effect on eyes, on skin, on air passages
	Decomposes in a fire giving off toxic fumes
Basic Personal Protection	Suitable respiratory protective device
	Goggles giving complete protection to eyes
	Plastic or synthetic rubber gloves
	Eyewash bottle with clean water

Emergency Action	
Immediate Action	Notify police and fire brigade
	Stop the engine
	No naked lights and no smoking
	Mark roads and warn other road users
	Keep public away from danger area
	Keep upwind
Spillage	Stop leaks, if without risk
	Contain or absorb leaking liquid with sand or earth or other suitable material
	Prevent liquid entering sewers, basements and work pits. Vapour may create explosive atmosphere
	If substance has entered a watercourse or sewer or been spilt on soil or vegetation, advise police
Fire	Keep containers cool by spraying with water if exposed to fire
	Extinguish with water spray, foam or dry chemical
	Do not use water jet
First Aid	If substance has got into the eyes, immediately wash out with plenty of water
	Continue treatment until medical assistance is provided
	Remove contaminated clothing immediately and wash affected skin with soap and water
	Seek medical treatment when anyone has symptoms apparently due to inhalation or contact with skin or eyes

Additional information provided by manufacturer or sender